




Unsere Mission

Bei ML Interio ist es unsere Mission, hochwertige und umweltfreundliche Türen und Fenster herzustellen, die nicht nur den höchsten Ansprüchen an Design und Funktionalität gerecht werden, sondern auch zu einer nachhaltigen Zukunft beitragen. Wir verpflichten uns, umweltverträgliche Materialien und ressourcenschonende Produktionsverfahren zu verwenden, um unseren ökologischen Fussabdruck so gering wie möglich zu halten.






SOFTLINE 82



SOFTLINE 82^{MD}



VEKAMOVE 76



VEKAMOTION 82



Softline 82

System depth: 82mm View widths
min: Fixed field: 137 mm

BLR+FLG: 175 mm

Glass thickness max: 54mm

Wing width max: 1150* mm

Wing height max: 2400* mm

Ud- value: AD: up to 1.3 W/(m²K)

MD: up to 1.2 W/(m²K)

Sound insulation Rw: up to 44 dB



Softline 82





SOFTLINE 82 MD

System depth: 82mm

View widths min: Fixed field: 73mm
BLR+FLG: 114 mm

Glass thickness max: 54mm

Wing width max: 1400 mm


Wing height max: 2500 mm

Sound insulation Rw: up to 47 dB



SOFTLINE 82 MD





VEKAMOVE 76

System depth: Wing: 76 mm

Frame: 150 mm

View width min: Passage area: 152 mm

Fixed field: 71 mm

Middle section: 122 mm

Glass thickness max: 48 mm

Element width max: 4200 mm


Element height max: 2480 mm



VEKAMOVE 76



System depth: Wing: 82 mm
Frame: 194 mm
View widths min: Passage area: 163 mm
Fixed field: 163 mm
Middle section: 92 mm
Glass thickness max: 54 mm
Element width max: 6000 mm
Element height max: 2700 mm
Sound insulation Rw: up to 42 dB



VEKAMOTION 82



VEKAMOTION 82





INTERIO

COMPLETE YOUR HOME